Appl. No.

10/712,388

Filed

November 12, 2003

## **AMENDMENTS TO THE CLAIMS**

1. (Original) An apparatus for removably mounting an entertainment device, such as a digital video player or laptop computer, to at least one seat of a vehicle, said entertainment device having a viewing screen portion hinged to a central console portion, said apparatus comprising:

a platform having a generally triangular cross section comprised of a front portion and rear portion which meet at an upper apex, said front portion configured to receive said entertainment device such that the bottom of said console portion is inclined relative to both the horizontal and vertical.

- 2. (Original) An apparatus as in Claim 1, further comprising a panel connecting said front portion to said rear portion opposite said upper apex.
- 3. (Original) An apparatus as in Claim 1, further comprising a strap for securing said console portion to said front portion.
- 4. (Original) An apparatus as in Claim 1, wherein said front portion includes a bump covered by rubbery material.
- 5. (Original) An apparatus as in Claim 1, further comprising at least one strap for securing said platform to a back of one seat.
- 6. (Original) An apparatus as in Claim 1, further comprising at least two straps for securing said platform between two seats.
- 7. (Original) An apparatus for removably mounting an entertainment device, such as a digital video player or laptop computer, to at least one seat of a vehicle, said apparatus having an open configuration and a closed configuration, and comprising:

a front portion;

a rear portion;

Appl. No.

: 10/712,388

Filed

November 12, 2003

said front portion and rear portion configured to form a container in said closed configuration, said container sized to receive said entertainment device for transporting said device; and

said front portion and rear portion configured to form a platform in an open configuration, said platform adapted to be releasably attached to at least one seat of a vehicle, said platform capable of mounting said entertainment device for use.

- 8. (Original) An apparatus as in Claim 7, further comprising a panel connecting said front portion to said rear portion opposite said upper apex in said open configuration.
- 9. (Original) An apparatus as in Claim 7, further comprising a strap for securing said console portion to said front portion in said open configuration.
- 10. (Original) An apparatus as in Claim 7, wherein said front portion includes a bump covered by rubbery material.
- 11. (Original) An apparatus as in Claim 7, further comprising at least one strap for securing said platform to a back of one seat in said open configuration.
- 12. (Original) An apparatus as in Claim 7, further comprising at least two straps for securing said platform between two seats in said open configuration.
- 13. (Original) A suspension platform for removably securing an entertainment device in a passenger vehicle having at least one front seat and at least one rear seat, comprising:

first, second and third panels, each having an interior surface and an exterior surface;

Appl. No.

10/712,388

Filed

**November 12, 2003** 

a first flexible connection between a first edge of said first panel and a first edge of a said second panel;

a second flexible connection between a second edge of said second panel and a first edge of said third panel;

a zipper comprised of two sets of engaging teeth, one set on at least the first edge of the second panel and the other set on at least a second edge of the third panel;

a connector having two engaging portions for connecting the first panel to the second panel;

a first strap for securing said entertainment device to said interior surface of said third panel;

at least a second strap for securing said suspension platform to at least one front seat.

- 14. (Original) The suspension platform as recited in Claim 13, further comprising a bump on said interior surface of said third panel, wherein said bump is covered with rubbery material.
- 15. (Original) The suspension platform as recited in Claim 13, wherein the connector is a snap.
- 16. (Original) The suspension platform as recited in Claim 13, wherein the connector is hook-and-loop material.